according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27-Apr-2016 Print date: 27-Apr-2016

Version: 1 Page 1/8

SCANDIPAINT CLASSICMATT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

CLASSICMATT

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Coatings and paints, fillers, putties, thinners

Relevant identified uses:

Sector of uses [SU]

SU 19: Building and construction work

Product Categories [PC]

PC 9a: Coatings and paints, thinners, paint removers

Process categories [PROC]

PROC 10: Roller application or brushing

PROC 11: Non industrial spraying

Environmental release categories [ERC]

ERC 10a: Wide dispersive outdoor use of long-life articles and materials with low release **ERC 11a:** Wide dispersive indoor use of long-life articles and materials with low release

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): SCANDIPAINT GmbH & Co. KG

Labor Elbberg 6 D-22767 Hamburg

Germany

Telephone: 040/8541436-00 **Telefax:** 040/8541436-29

1.4. Emergency telephone number

Produktsicherheit, 040/8541436-00 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: -

Supplemental Haza	Supplemental Hazard information (EU)				
	Contains 1,2-benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.				

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27-Apr-2016 Print date: 27-Apr-2016

Version: 1 Page 2/8

SCANDIPAINT CLASSICMATT

Precautionary statements		
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read label before use.	

Precautionary statements Prevention		
P271	Use only outdoors or in a well-ventilated area.	

Precautionary statements Response		
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/	

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

No data available

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In any first aid action: pay attention to self protection (e.g. respiratory protection, gloves); always inform doctor. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing immediately. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air.

In case of skin contact:

Take off greatly contaminated clothes. Clean with much water and soap. Do not wash with: solvents or thinners

After eye contact:

In case of contact with eyes flush immediately remove contact lenses, with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion:

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Visit a Doctor.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray, Carbon dioxide (CO2), Dry extinguishing powderl, Foam, Use extinguishing measures that suit the environment.

Unsuitable extinguishing media:

High power water jet

5.2. Special hazards arising from the substance or mixture

In burning produces irritant fumes.

Hazardous combustion products:

Carbon dioxide (CO2), Nitrogen oxides (NOx), Carbon monoxide

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27-Apr-2016 Print date: 27-Apr-2016

Version: 1 Page 3/8

SCANDIPAINT CLASSICMATT

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Avoid contact with eyes and skin. Special danger of slipping by leaking/spilling product. Use personal protection equipment.

Protective equipment:

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.1.2. For emergency responders

Personal protection equipment:

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Inform respective authorities in case of seepage into waterways, soil or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Kieselguhr, Sawdust, Sand, Universal binder

For cleaning up:

Wash with plenty of water. Retain contaminated washing water and dispose it.

6.4. Reference to other sections

Disposal: see section 13, Personal protection equipment: see section 8, Safe handling: see section 7

6.5. Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

No special technical protective measures are necessary. Wear personal protection equipment (refer to section 8). When using do not eat, drink or smoke.

Fire prevent measures:

No special fire protection measures are necessary.

Measures to prevent aerosol and dust generation:

Open windows to ensure natural ventilation.

Environmental precautions:

Provide for retaining containers, eg. floor pan without outflow.

Advices on general occupational hygiene

Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Close opened containers carefully and kept upright to prevent a leakage.

Packaging materials:

Keep only in original container.

Requirements for storage rooms and vessels:

Protect from frost, heat and sunlight.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27-Apr-2016 Print date: 27-Apr-2016

Version: 1 Page 4/8

SCANDIPAINT CLASSICMATT

Hints on storage assembly:

Keep away from: Oxidising agent, Strong alkali, Strong acid

Storage class: 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

Industrial sector specific solutions:

Water-based paints, solvent-free

Giscode:

BSW20

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value ty pe (country of origin)	Substance name	 long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
DFG (DE)	2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4	① 0.2 mg/m³ ② 0.4 mg/m³ ⑤ einatembare Fraktion (Reaktionsgemisch, bestehend aus5-Chlor-2-methyl-2H-isothiazol-3-on und 2-Methyl-2H-isothiazol-3-on (3:1))

8.1.2. biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures to prevent exposure

8.2.2. Personal protection equipment



Eye/face protection:

Dust protection eye glasses

Skin protection:

Tested protective gloves must be worn DIN EN 374. Suitable material: Butyl caoutchouc (butyl rubber), CR (polychloroprene, chloroprene rubber), NR (natural rubber, natural latex), rubber gloves. Breakthrough time (maximum wearing time) = 480min. Thickness of the glove material: 0,11mm Breakthrough times and swelling properties of the material must be taken into consideration. In the case of wanting to use the gloves again, clean them before taking off and air them well. Wear cotton undermitten if possible.

Respiratory protection:

Usually no personal respirative protection necessary. In case of insufficient ventilation, wear suitable respiratory equipment. Take a particle filter P2 when spraying. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

8.2.3. Environmental exposure controls

Inform respective authorities in case of seepage into waterways, soil or drains.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27-Apr-2016 **Print date:** 27-Apr-2016

Version: 1 Page 5/8

SCANDIPAINT CLASSICMATT

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid Colour: white

Odour: not determined

Safety relevant basis data

parameter		at °C	method	Remark
рН	5	20 °C		
Melting point/freezing point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	not determined			
Decomposition temperature (°C):	not determined			
Flash point	not determined			
Evaporation rate	not determined			
Ignition temperature in °C	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	not determined			
Bulk density	not determined			
Water solubility (g/L)	not determined			
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition/reaction if stored intended and intended application.

10.2. Chemical stability

No decomposition/reaction if stored intended and intended application.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

10.5. Incompatible materials

Strong acid

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

The classification criteria for this hazard class are not met by definition.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27-Apr-2016 Print date: 27-Apr-2016

Version: 1 Page 6/8

SCANDIPAINT CLASSICMATT

Acute dermal toxicity:

The classification criteria for this hazard class are not met by definition.

Acute inhalation toxicity:

The classification criteria for this hazard class are not met by definition.

Skin corrosion/irritation:

The classification criteria for this hazard class are not met by definition.

Eye damage/irritation:

The classification criteria for this hazard class are not met by definition.

Respiratory or skin sensitisation:

Contains May produce an allergic reaction.

Germ cell mutagenicity:

The classification criteria for this hazard class are not met by definition.

Carcinogenicity:

The classification criteria for this hazard class are not met by definition.

Reproductive toxicity:

The classification criteria for this hazard class are not met by definition.

STOT-single exposure:

The classification criteria for this hazard class are not met by definition.

STOT-repeated exposure:

The classification criteria for this hazard class are not met by definition.

Aspiration hazard:

The classification criteria for this hazard class are not met by definition.

Additional information:

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recycle according to official regulations.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

Waste code packaging:

15 01 02 Plastic packaging

Remark:

Completely emptied packagings can be recycled through collection systems.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27-Apr-2016 **Print date:** 27-Apr-2016

Version: 1 Page 7/8

SCANDIPAINT CLASSICMATT

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself.

13.2. Additional information

No data available

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1. UN-No.

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not relevant

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

No data available

15.1.2. National regulations

[DE] National regulations

Störfallverordnung

Remark:

Not subject to StörfallVO.

Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

Description:

slightly hazardous to water (WGK 1)

Source:

Classification according to VwVwS, Annex 4.

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 27-Apr-2016 **Print date:** 27-Apr-2016

Version: 1 Page 8/8

SCANDIPAINT CLASSICMATT

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

No data available

16.6. Training advice

No data available

16.7. Additional information

Notice the directions for use on the label.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.